## SA300 Walk Through Metal Detector

## 8 MULTI-ZONE WALK THROUGH

## METAL DETECTOR

Optimum Performance \* Detecting metal accuracy range is less than 4g; Automatic self-checking after power on; System working mode: IR ; Operation way: Keypad

Detection: 8 multi-zones **\*** Multi-zone detecting and alarming provide precise location of one or more objects simultaneously

Traffic Counter ★ Intelligent traffic and alarm counters that calculate traffic flow and resultant alarms

Alarm system set ★ Alarm time setting: 0.5~9S, alarm volume level: 0~20 level adjustable, alarm sound tone: 0~20 tone



★ Small LCD screen, English menu for easy operation and displays the current usage environment interference in real time, so as to re-select the operating frequency or re-select the installation environment.

★ Alarming Indicator: Highbrightness LED lamp multizone alarm indication. zone indicators are highly visible even in direct sunlight

★ Location calibration: Visualize the location calibration indication, the system will automatically and accurately display the current calibration detection zone position, which is convenient for immediate sensitivity adjustment.

★ Working frequency: 50 selectable working frequency band, 100,000 historical records can be queried



Tel:+86-755-29025099 | Fax:+86-755-23125966 | Email: sebrina@securinadetection.com

www.securinadetection.com

Address: Chengqiu Industry Park, Longhua District, Shenzhen, China | 518110

## 8 Multi-zone Walk Through Metal Detector

SA300 8 multi-zone walkthrough metal detector provides standard performance and basic program selections engineered to meet the varying security requirements of schools, stadiums, government buildings, mass transit, nightclubs, prisons, airports, entertainment venues, loss prevention and special events,


Zone Indications:	8 zones
Sensitivity adjustable:	0-255
Self-Diagnostic Program	Complete and automatic
Battery Packs <i>(optional)</i>	4/8/10hours for power supply backup
Warranty	2 Years Warranty and 10 Years Parts Supply Availability
Display	Two LED light bar, small LCD display
Electrical current:	AC100V~240V 50/60Hz
Power	15W
Work environment	-20°C~+55°C
Outer frame	2230mm (h)*820mm (w)*500mm (d)
Inner frame	2020mm (h) *700mm (w) *500mm (d)
Net Weight(unit)	55kgs
Gross Weight(unit)	65kgs
Packing size(head box)	755mm(L)*435mm(W)*255mm(H)
Packing size(door frame)	2290mm((L)*635mm(W)*210mm(H)



Tel:+86-755-29025099 | Fax:+86-755-23125966 | Email: sebrina@securinadetection.com

www.securinadetection.com

Address: Chengqiu Industry Park, Longhua District, Shenzhen, China | 518110





Metal Detector Divesting Table: For management of personal metal belongings Standard size: 1000(L)\*236(W)\*800(H)mm Metal Detector Feet Wheels: For easy moving without disassembly Different model has different matched type



Tel:+86-755-29025099 | Fax:+86-755-23125966 | Email: sebrina@securinadetection.com

www.securinadetection.com

Address: Chengqiu Industry Park, Longhua District, Shenzhen, China | 518110