

◆ **General introduction:**

SA300P

Portable walk through metal detector

Portable walk through metal detector as one portable and high performance metal detector can be movable, waterproof and portable. It can be taken to any where by one person and can be installed in five minutes to work. This model can be used in gym, conference hall, school. And it be operated easily no need more training.

This model obtained surface patent and software system registration property. This model detect metals by electromagnet and alarmed by sound and light if metals overload. It contains CPU, generator, signal receiver, infrared ray sensor. Beautiful surface, strong detecting, more detecting zones, network remote control management system(option) and waterproof. It can be disassembly parts for better taken and transferred. It's leader of portable walk through metal detector in the market.

◆ **Advanced technology**

- Multi-detecting zones technology: 8,16,24 detecting zones, it can be shifted and selected intelligent(more zones update technology can be supported) .
- Working frequency: Super range working frequency(0-120),and working environment adaptive function

- Sensitivity of detecting zone: Sensitivity of single detecting zone can reach 355 grade(adjustable).
- Mobile connect technology: Can be controlled by mobile APP.(option)
- Super housing protection technology: IP67 excellent protection(selectivity) for door frame
- Self-adaption diagnosis system: When turn on, system will detect adaptively hardware working status.



Portable design

Securina Detection System Co., Limited.

Tel: +86-755-29025099-620 / Mob: +86-15914162649 E-mail: sebrina@securinadetection.com

X Ray Inspection System, Under Vehicle Scanning System, Explosives and Narcotics Detection, Liquid Scanner, Walk Through Metal Detectors, Explosive Disposal Device



Black



Sliver gray




camouflage

three colors selected available

Color and pattern can be customized with big quantity

◆ Product advantage

- Adjustment system: System can adjust detecting standard
- Start and stop technology: Red infrared device own automatic start and stop technology. It can adds 100 times lifespan.
- Sensitivity of each zone can be adjusted(own adjustment technology)
- Detecting zones quantity can be selected by yourself
- Sound and light alarm. Alarm tones and time can be arbitrarily adjusted.
- Enquiry function: System provided actual time information enquiry function
- Detecting capacity: Can detect more than one hundred persons in one minute



Equip 7 inch high definition LCD screen(touch screen) portable and more intelligent


◆ Product specification

- Detecting target: Contraband goods, more magnet metals;
- Vertical outside size: 2250x850x500mm;
- Tunnel Size: 2051x710x500mm (Width customized range 700~1500mm);
- Fold size: 889x606x484mm;
- Working humidity: 99%, no condensing;
- Power supply method: Equip polymer batteries, last time can be 8、16、24、48、72hours and can be selected in optional;
- Input: AC 110V~240V/50HZ~60HZ
- Package size: 948x666x525mm;
- Working temperature: -40℃~85℃;
- Output: DC 12V/5A 12W
- Weight: N.W 33KG, G.W 40KG;


Securina Detection System Co., Limited.

Tel: +86-755-29025099-620 / Mob: +86-15914162649 E-mail: sebrina@securinadetection.com


X Ray Inspection System, Under Vehicle Scanning System, Explosives and Narcotics Detection, Liquid Scanner, Walk Through Metal Detectors, Explosive Disposal Device




Off status



Stay status



Walk through status



Alarm status

◆ Unique feature



❄️ -40°C
☀️ 85°C

- High and low temperature resistance
Working normally from -40°C to 85°C
(selectivity)



- waterproof
New deep sea waterproof technology.
Working normally underwater at 0.72m



+

- Super long time power supply(optional)
Equip polymer batteries, backup power supply time can be 8、16、24hours for your choice.
System automatic alarm to inform you the low battery.

● Wireless connection(optional)

Products can be connected through wifi,4G data, Bluetooth module into internet, remote controlled and data monitored by mobile APP and computer.



Fold size: 889x606x484mm
Volume: 0.33m³

Package size: 948x666x525mm
N.W: 42KG G.W: 50KG

◆ **Technical Parameter**

- Operating temperature:-40°C to +85°C
- Relative Humidity:99%, non-condensing
- IP Grade:IP67
- External Dimension:2250*850*500mm
- Passage Dimension:2051*710*500mm
- Fold Demension:889*606*484mm
- Packing Dimension:1000*700*540mm
- Net Weight:33kg
- Gross weight:40kg

